The British Journal of Clinical Pharmacology

Volume 39
1995

Published for
The British Pharmacological Society by
Blackwell Scientific Publications

© 1995 Blackwell Science Ltd
Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
Suite 500, 5th Floor, 238 Main Street, Boston, MA 02142, USA
54 University Street, Carlton, Victoria 3053, Australia

Other Editorial Offices:
Arnette SA
1, rue de Lille
75007 Paris
France

Blackwell Wissenschafts-Verlag GmbH
Kurfürstendamm 57
1707 Berlin
Germany

Blackwell MZV
Feldgasse 13
A-1238 Wien
Austria

Published on behalf of
The British Pharmacological Society

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Scientific Publications for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $11.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. 0306-5251/94 $11.00/0. (For copying beyond that permitted by Sections 107 or 108 of the US Copyright Law). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Special requests should be addressed to the Editor.

Typeset by Oxprint Ltd, Oxford
Printed in Great Britain
at the University Press, Cambridge

Contents

Number 1, January 1995

Leading article

1 Promoting rational prescribing: an international perspective: *H. V. Hogerzeil*

Main papers

7 A comparison of the neuro-endocrinological and temperature effects of DU 29894, flesinoxan, sulpiride and haloperidol in normal volunteers: *P. de Koning & M. H. de Vries*

15 Individual and group dose-responses to intravenous omeprazole in the first 24 h: pH feedback-controlled and fixed-dose infusions: *C. H. Wilder-Smith, H.-U. Bettschen & H. S. Merki*

25 Effects of gemfibrozil on the oxygen transport properties of erythrocytes: *R. Scatena, G. Nocca, I. Messana, P. De Sole, S. Baroni, C. Zuppi, M. Castagnola & B. Giardina*

31 Lack of interaction between a new antihistamine, mizolastine, and lorazepam on pyschomotor performance and memory in healthy volunteers: *A. Patat, M. C. Perault, B. Vandel, N. Ulliac, I. Zieleniuk & P. Rosenzweig*

39 Concentration-effect relationship of levodopa in patients with Parkinson's disease after oral administration of an immediate release and a controlled release formulation: *S. Harder, H. Baas, N. Bergemann, L. Demisch & S. Rietbrock*

45 Amlodipine and haemodynamic effects of cyclo-oxygenase inhibition: *P. Minuz, P. Pancera, M. Ribul, F. Priante, M. Degan, A. Campedelli, E. Arosio & A. Lechi*

51 The renin angiotensin aldosterone system and frusemide response in congestive heart failure: *S. Reed, P. Greene, T. Ryan, B. Cerimele, U. Schwertschlag, M. Weinberger & J. Voelker*

59 Pharmacokinetics of physostigmine in man following a single application of a transdermal system: *K. Walter, M. Müller, M. F. Barkworth, A. V. Nieciecki & F. Stanislaus*

65 Caffeine as a metabolic probe: a comparison of the metabolic ratios used to assess CYP1A2 activity: *L. J. Notarianni, S. E. Oliver, P. Dobrocky, P. N. Bennett & B. W. Silverman*

71 CYP3A4 and CYP2A6 activities marked by the metabolism of lignocaine and coumarin in patients with liver and kidney diseases and epileptic patients: *E. A. Sotaniemi, A. Rautio, M. Bäckstrom, P. Arvela & O. Pelkonen*

Short reports

77 Evidence for a role of cytochrome P450 2D6 and 3A4 in ethylmorphine metabolism: *Z. Liu, O. Mortimer, C. A. Dale-Smith, C. R. Wolf & A. Rane*

81 Chronic tobacco smoking and gender as variables affecting amantadine disposition in healthy subjects: *L. T. Y. Wong, D. S. Sitar & F. Y. Aoki*

85 Assessment of arylamine *N*-acetyltransferase (NAT1) activity in mononuclear leukocytes of cystic fibrosis patients: *A. E. Cribb, B. Tsui, R. Isbrucker, R. T. Michael, C. T. Gillespie, J. Brown-Bonomo, P. Barrett, T. Levatte & K. W. Renton*

91 Proceedings of the British Pharmacological Society (7–9 September, 1994, University of Sunderland)

Number 2, February 1995

Review

109 Tolerance with β_2-adrenoceptor agonists: time for reappraisal: *A. Grove & B. J. Lipworth*

Papers

119 The reproducibility and effect of non-specific airway responsiveness on inhaled prostaglandin D_2 and leukotriene D_4 in asthmatic subjects: *R. Wood-Baker, G. I. Town, B. Benning & S. T. Holgate*

125 Reproducibility of angiotensin converting enzyme inhibitor induced cough: a double-blind randomised study: *V. Charlon, S. Dollow, J. Fidel, C. Hoglund, T. Honkanen, I. Kobrin, J. McEwan, G. McInnes, J. R. Viskoper & K. Sang Woo*

131 Relation between changes in blood pressure and serum ACE activity after a single dose of enalapril and ACE genotype in healthy subjects: *G. P. Todd, I. G. Chadwick, K. S. Higgins, W. W. Yeo, P. R. Jackson & L. E. Ramsay*

135 A comparison of the effects of simvastatin and pravastatin monotherapy on muscle histology and permeability in hypercholesterolaemic patients: *J. Contermans, J. W. A. Smit, P. R. Bär & D. W. Erkelens*

143 The bioavailability and disposition of 1-(β-D-arabinofuranosyl)-5-(1-propynyl)uracil (882C87), a potent, new anti-varicella zoster virus agent: *R. W. Peck, R. Wootton, D. R. Lee, S. H. D. Jackson & J. Posner*

151 Selective serotonin reuptake inhibitors and theophylline metabolism in human liver microsomes: potent inhibition by fluvoxamine: *B. B. Rasmussen, J. Mäenpää, O. Pelkonen, S. Loft, H. E. Poulsen, J. Lykkesfeldt & K. Brøsen*

161 Pharmacokinetics and pharmacodynamics of roxatidine in patients with renal insufficiency: *U. Gladziwa, S. Wagner, H.-G. Sieberth & U. Klotz*

Short reports

169 The effect of fasting on total serum bilirubin concentrations: *B. H. Meyer, H. E. Scholtz, R. Schall, F. O. Müller, H. K. L. Hundt & J. S. Maree*

172 Relative bioavailability of a new oral form of cyclosporin A in patients with rheumatoid arthritis: *B. E. E. M. Van Den Borne, R. B. M. Landewé, H. S. Goei The, H. Mattie, F. C. Breedveld & B. A. C. Dijkmans*

176 Methylprednisolone-hemisuccinate and its metabolites in serum, urine and bile from two patients with acute graft rejection: *G. J. Lawson, J. Chakraborty, J. M. Tredger & E. M. Baylis*
179 The *N*-oxidation of trimethylamine in a Jordanian population: *H. F. Hadidi, S. Cholerton, S. Atkinson, Y. M. Irshaid, N. M. Rawashdeh & J. R. Idle*
182 Patient-controlled analgesia (PCA) with codeine for postoperative pain relief in ten extensive metabolisers and one poor metaboliser of dextromethorphan: *K. Persson, S. Sjöström, I. Sigurdardottir, V. Molnár, M. Hammarlund-Udenaes & A. Rane*
187 Pharmacokinetics of piroximone after oral and intravenous administration to patients with renal insufficiency: *J. P. Fauvel, N. Bernard, M. Laville, N. Pozet, J. Sassard & P. Y. Zech*
190 Protein binding of propranolol and verapamil enantiomers in maternal and foetal serum: *F. M. Belpaire, P. Wynant, P. Van Trappen, M. Dhont, A. Verstraete & M. G. Bogaert*
194 Effects of milk and food on the absorption of enoxacin: *P. Lehto & K. T. Kivistö*
197 Patient knowledge and prescription of ulcer healing drugs in medical inpatients: *T. C. K. Tham, S. Johnston & R. G. P. Watson*
201 Effects of *in vitro* addition of captopril on copper-induced low density lipoprotein oxidation: *B. Ziedén, D. M. Wuttge, B. E. Karlberg & A. G. Olsson*
204 Influence of the behaviour pattern on the nocebo response of healthy volunteers: *M.-D. Drici, F. Raybaud, C. De Lunardo, P. Iacono & P. Gustovic*
207 The effect of levcromakalim (BRL 38227) on bladder function in patients with high spinal cord lesions: *K. Komersova, J. W. Rogerson, E. L. Conway, T. C. Lim, D. J. Brown, H. Krum, G. P. Jackman, R. Murdoch & W. J. Louis*

Letters to the Editors
211 Protein binding or warfarin: *G. Levy*
Improving patient recruitment in clinical trials: lessons from one multicentre study in asthma: *M. Garcia-Losa, R. Dal-Re & E. Garcia-Mendez*
213 HIV screening in healthy volunteers: *J. D. Harry, N. Baber & J. Posner*
214 Pharmacokinetics and ventilatory effects of intravenous oxycodone in postoperative children: *E. Kalso: K. Hamunen, K. T. Olkkola & E. L. Maunuksela*

Number 3, March 1995

Review
217 Quality-of-life measurements in the evaluation of treatment: proposed guidelines: *A. Fletcher*

Papers
223 Attitudinal survey of adverse drug reaction reporting by medical practitioners in the United Kingdom: *K. J. Belton, S. C. Lewis, S. Payne, M. D. Rawlins & S. M. Wood*
227 Psychoactive medication use, sensori-motor function and falls in older women: *S. R. Lord, K. J. Anstey, P. Williams & J. A. Ward*
235 Cholecystokinin and anxiety in normal volunteers: an investigation of the anxiogenic properties of pentagastrin and reversal by the cholecystokinin receptor subtype B antagonist L-365,260: *C. Lines, J. Challenor & M. Traub*
243 Evaluation of the α_2-adrenoceptor blocking properties of buspirone and ipsapirone in healthy subjects. Relationship with the plasma concentration of the common metabolite 1-(2-pyrimidinyl)-piperazine: *I. Berlin, S. Chalon, C. Payan, G. Schöllnhammer, F. Cesselin, O. Varoquaux & A. J. Puech*
251 Effects of reboxetine and desipramine on the kinetics of the pupillary light reflex: *N. Theofilopoulos, G. McDade, E. Szabadi & C. M. Bradshaw*
257 The opiate addiction test: a clinical evaluation of a quick test for physical dependence on opiate drugs: *H. Ghodse, D. R. S. Taylor, J. L. Greaves, A. J. Britten & D. Lynch*
261 The effect of inhaled and oral dextromethorphan on citric acid induced cough in man: *T. J. Grattan, A. E. Marshall, K. S. Higgins & A. H. Morice*
265 Bronchospasm and cough as adverse reactions to the ACE inhibitors captopril, enalapril and lisinopril. A controlled retrospective cohort study: *R. Wood*
271 Effect of dose adjustment on enalapril-induced cough and the response to inhaled capsaicin: *W. W. Yeo, K. S. Higgins, G. Foster, P. R. Jackson & L. E. Ramsay*
277 Twenty-four hour efficacy of two dose levels of a once daily sustained-release diltiazem formulation in stable angina: a placebo-controlled trial: *Y. Frances, S. Gagey, A. Stalla-Bourdillon & the Dildurang Study Group*
283 Halofantrine pharmacokinetics in Kenyan children with non-severe and severe malaria: *W. M. Watkins, P. A. Winstanley, E. K. Mberu, G. Kokwaro, S. A. Murphy, C. J. Newton, I. Mwangi, D. Forster & K. Marsh*
289 Pharmacokinetics and adverse reactions after a single dose of pentamidine in patients with *Trypanosoma gambiense* sleeping sickness: *U. Bronner, L. L. Gustafsson, F. Doua, Ö. Ericsson, T. Miézan, M. Rais & L. Rombo*
297 Metabolic disposition of proguanil in extensive and poor metabolisers of S-mephenytoin 4'-hydroxylation recruited from an Indonesian population: *R. Setiabudy, M. Kusaka, K. Chiba, I. Darmansjah & T. Ishizaki*
305 The effect of ciprofloxacin on theophylline pharmacokinetics in healthy subjects: *K. T. Batty, T. M. E. Davis, K. F. Ilett, L. J. Dusci & S. R. Langton*
313 Population pharmacodynamics of romazarit: *N. H. G. Holford, P. E. O. Williams, G. J. Muirhead, A. Mitchell & A. York*
321 Metabolism of theophylline by cDNA-expressed human cytochromes P-450: *H. R. Ha, J. Chen, A. U. Freiburghaus & F. Follath*

Short reports
327 Blood and urine 5-hydroxytryptophan and 5-hydroxytryptamine levels after administration of two 5-hydroxytryptamine precursors in normal man: *T. C. Li Kam Wa, N. J. T. Burns, B. C. Williams, S. Freestone & M. R. Lee*

330 Serum drug concentrations after oral administration of paracetamol to patients with surgical resection of the gastrointestinal tract: *T. Ueno, A. Tanaka, Y. Hamanaka & T. Suzuki*
333 Effects of treatment with simvastatin and pravastatin on cognitive function in patients with hypercholesterolaemia: *N. Cutler, J. Sramek, A. Veroff, G. Block, L. Stauffer & C. Lines*

Letters to the Editors
337 Influence of chronic ingestion of grapefruit juice on steady-state blood concentrations of cyclosporine A in renal transplant patients with stable graft function: *D. G. Proppe, O. D. Hoch, A. J. McLean & K. E. Visser*
338 Tramadol hydrochloride – not just another opioid agonist: *K. Eggers & I. Power: T. Hummel & G. Kobal*

Number 4, April 1995

Obituary
341 Paul Turner

Leading article
343 Drugs, money and society: *T. Walley*

Methods
347 Comparison of non-invasive methods for the assessment of haemodynamic drug effects in healthy male and female volunteers: sex differences in cardiovascular responsiveness: *M. Woltz, L. Schmetterer, A. Rheinberger, A. Salomon, C. Unfried, H. Breiteneder, H. Ehringer, H.-G. Eichler & A. F. Fercher*

Papers
361 Comparison of the pharmacokinetics and pharmacodynamics of oral doses of perindopril in normotensive Chinese and Caucasian volunteers: *P. J. Anderson, J. A. J. H. Critchley, B. Tomlinson & G. Resplandy*
369 The potentiation of adrenaline-induced *in vitro* platelet aggregation by ADP, collagen and serotonin and its inhibition by naftopidil and doxazosin in normal human subjects: *N. A. Alarayyed, B. R. Graham, B. N. C. Prichard & C. C. T. Smith*
375 Pharmacokinetics and pharmacodynamics of tucaresol, an antisickling agent, in healthy volunteers: *P. E. Rolan, A. J. Mercer, R. Wootton & J. Posner*
381 The effects of pharmaceutical excipients on small intestinal transit: *D. A. Adkin, S. S. Davis, R. A. Sparrow, P. D. Huckle, A. J. Phillips & I. R. Wilding*
389 The effects of oral sumatriptan, a 5-HT_1 receptor agonist, on circulating ACTH and cortisol concentrations in man: *S. J. Entwisle, P. A. Fowler, M. Thomas, D. J. A. Eckland, S. Lettis, M. York & P. S. Freedman*
397 A comparative study of acute and subchronic effects of dothiepin, fluoxetine and placebo on psychomotor and actual driving performance: *J. G. Ramaekers, N. D. Muntjewerff & J. F. O'Hanlon*
405 Sensation seeking amongst healthy volunteers participating in phase I clinical trials: *M. Farré, X. Lamas & J. Camí*
411 Glutathione *S*-transferase μ genotype (*GSTM1*0*) in Alzheimer's patients with tacrine transaminitis: *V. J. Green, M. Pirmohamed, N. R. Kitteringham, M. J. Knapp & B. K. Park*
417 Cytochrome P4502D6 genotype does not determine response to clozapine: *M. J. Arranz, E. Dawson, S. Shaikh, P. Sham, T. Sharma, K. Aitchison, M. A. Crocq, M. Gill, R. Kerwin & D. A. Collier*
421 Identification of human CYP isoforms involved in the metabolism of propranolol enantiomers—*N*-desisopropylation is mediated mainly by CYP1A2: *K. Yoshimoto, H. Echizen, K. Chiba, M. Tani & T. Ishizaki*
433 Imipramine metabolism in relation to the sparteine and mephenytoin oxidation polymorphisms—a population study: *H. Madsen, K. Kramer Nielsen & K. Brøsen*

Short reports
441 The role of S-mephenytoin hydroxylase (CYP2C19) in the metabolism of the antimalarial biguanides: *J. D. Wright, N. A. Helsby & S. A. Ward*
445 The pharmacokinetics of teniloxazine in healthy subjects and patients with hepatic cirrhosis: *R. Orlando, C. Benvenuti, M. Mazzo & P. Palatini*
449 Absorption of clonazepam after intranasal and buccal administration: *M. W. G. Schols-Hendriks, J. J. H. M. Lohman, R. Janknegt, J. J. Korten, F.W. H. M. Merkus & P. M. Hooymans*
452 Pharmacokinetics of ifosfamide and its enantiomers following a single 1 h intravenous infusion of the racemate in patients with small cell lung carcinoma: *S. A. Corlett, D. Parker & H. Chrystyn*
456 Sulphasalazine inhibition of thiopurine methyltransferase: possible mechanism for interaction with 6-mercaptopurine and azathioprine: *C. L. Szumlanski & R. M. Weinshilboum*
460 The effect of amoxycillin on salivary nitrite concentrations: an important mechanism of adverse reactions: *H. T. Dougall, L. Smith, C. Duncan & N. Benjamin*

Letter to the Editors
463 A retrospective analysis of the prevalence of HIV seropositivity and its demographics in the normal healthy volunteer population of a Phase-I clinical drug study unit: *R. Jagathesan, L. D. Lewis & T. G. K. Mant*

Number 5, May 1995

Main papers

465 Management of hypertension in the elderly: attitudes of general practitioners and hospital physicians: *G. A. Ford & M. N. Asghar*

471 Effects of different antihypertensive drugs on plasma fibrinogen in hypertensive patients: *R. Fogari, A. Zoppi, G. D. Malamani, G. Marasi, A. Vanasia & G. Villa*

477 Antagonism of the effects of clonidine by the α_2-adrenoceptor antagonist, fluparoxan: *M. A. Johnson, C. P. Blackwell & J. Smith*

485 Method specificity of the auscultatory estimates of the inodilatory reduction of diastolic blood pressure based on Korotkoff IV and V criteria: *C. De Mey*

491 The interaction of the calcium antagonist Ro 40-5967 with digoxin: *M. Siepmann, C. Kleinbloesem & W. Kirch*

497 Effects of captopril on the human foetal placental circulation: an interaction with bradykinin and angiotensin I: *R. Soares de Moura & M. A. Cerqueira Lopes*

503 Influence of the dosing interval on prolactin release after remoxipride: *G. Movin-Osswald, M. Hammarlund-Udenaes, C. Von Bahr, P. Eneroth & K. Walton-Bowen*

511 Interphenotype differences in disposition and effect on gastrin levels of omeprazole—suitability of omeprazole as a probe for CYP2C19: *M. Chang, G. Tybring, M.-L. Dahl, E. Götharson, M. Sagar, R. Seensalu & L. Bertilsson*

519 The antimalarial drug halofantrine is bound mainly to low and high density lipoproteins in human serum: *B. Cenni, J. Meyer, R. Brandt & B. Betschart*

Short reports

527 Pharmacokinetics of zidovudine and dideoxyinosine alone and in combination in children with HIV infection: *D. Gibb, M. Barry, S. Ormesher, L. Nokes, M. Seefried, C. Giaquinto & D. Back*

531 The negative inotropic and chronotropic effects of intravenous R 56865 during percutaneous transluminal coronary angioplasty: *A. J. Pijl, H. B. Van Wezel, J. J. Koolen, J. J. Piek, K. Koch, A. Swaan, G. K. David, C. A. Visser & P. A. Van Zwieten*

536 Influence of metabolites on protein binding of verapamil enantiomers: *J. A. Johnson & W. S. Akers*

Proceedings

539 Proceedings of the British Pharmacological Society (14–16 December, 1994, Brighton Conference Centre)

Number 6, June 1995

Leading article

589 SI units—common sense not dogma is needed: *R. J. Flanagan*

Editorial comment

595 SI units—common sense not dogma is needed: *D. J. Back & G. T. McInnes*

Review

597 Aminoglycosides—50 years on: *E. J. Begg & M. L. Barclay*

Papers

605 A suggested approach to once-daily aminoglycoside dosing: *E. J. Begg, M. L. Barclay & S. B. Duffull*

611 Biotransformation and pharmacokinetics of ethylmorphine after a single oral dose: *T. A. Aasmundstad, B. Q. Xu, I. Johansson, A. Ripel, A. Bjørneboe, A. S. Christophersen, E. Bodd & J. Mørland*

621 Urinary recovery and kinetics of sulphamethoxazole and its metabolites in HIV-seropositive patients and healthy volunteers after a single oral dose of sulphamethoxazole: *A. J. A. M. Van Der Ven, T. B. Vree, E. W. J. Van Ewijk-Beneken Kolmer, P. P. Koopmans & J. W. M. Van Der Meer*

627 Absorption of cyclosporin from conventional and new microemulsion oral formulations in liver transplant recipients with external biliary diversion: *A. K. Trull, K. K. C. Tan, G. J. M. Alexander & N. V. Jamieson*

633 Evaluation of cardiac β_1-adrenergic sensitivity with dobutamine in healthy volunteers: *F. Pousset, S. Chalon, P. Thomaré, B. Diquet & P. Lechat*

641 Amlodipine induces a flow and pressure-independent vasoactive effect on the brachial artery in hypertension: *J. L. Megnien, J. Levenson, M. Del-Pino & A. Simon*

651 Use of 24 h ambulatory ECG recordings in the assessment of new chemical entities in healthy volunteers: *J. C. Stinson, J. S. Pears, A. J. Williams & R. W. F. Campbell*

657 The placebo effect in healthy volunteers: influence of experimental conditions on physiological parameters during phase I studies: *P. Rosenzweig, S. Brohier & A. Zipfel*

665 The axial distribution of nicotine content along hair shaft as an indicator of changes in smoking behaviour: evaluation in a smoking-cessation programme with or without the aid of nicotine chewing gum: *T. Uematsu, A. Mizuno, S. Nagashima, A. Oshima & M. Nakamura*

671 A double-blind, placebo controlled study of the effect of the specific histamine H_1-receptor antagonist, terfenadine, in chronic severe asthma: *R. Wood-Baker, R. Smith & S. T. Holgate*

Short reports

677 Physical exercise increases with plasma concentrations of nicotine during treatment with a nicotine patch: *T. O. Klemsdal, K. Gjesdal & K. Zahlsen*

680 Prolonged half-life of verapamil in a case of overdose: implications for therapy: *C. D. Buckley & J. K. Aronson*

684 The pharmacokinetics of dexfenfluramine in obese and non-obese subjects: *G. Cheymol, J. Weissenburger, J. M. Poirier & C. Gellee*

688 Does luminol chemiluminescence detect free radical scavengers?: *M. Clapperton, J. McMurray, A. C. Fisher & H. J. Dargie*

692 Probenecid inhibits the renal clearance of frusemide and its acyl glucuronide: *T. B. Vree, M. Van Den Biggelaar-Martea & C. P. W. G. M. Verwey-van Wissen*

696 The pharmacokinetics of three multiple dose regimens of chloroquine: implications for malaria chemoprophylaxis: *J. C. F. M. Wetsteyn, P. J. De Vries, B. Oosterhuis & C. J. Van Boxtel*

700 Lack of effect of pantoprazole on the pharmacodynamics and pharmacokinetics of warfarin: *L. Duursema, F. O. Müller, R. Schall, M. V. Middle, H. K. L. Hundt, G. Groenewoud, V. W. Steinijans & H. Bliesath*

704 The plasma concentrations of isosorbide 5-mononitrate (5-ISMN) administered in an extended-release form to patients with acute myocardial infarction: *W. McClennen, B. Hornestam, U. E. Jonsson & P. Held*

Letters to the Editors

709 Systemic effects of glucocorticoids—a response: *R. W. Fuller, A. Bye & N. S. Baber: A. Grahnén, S.-Å. Eckernäs, R.-M. Brundin & A. Ling-Andersson: B. J. Lipworth, A. Grove & C. M. Jackson*

Indexes

713 Author and Subject Indexes to Volume 39